

# Material Safety Data Sheet

Page 1 of 7

Issue date: March 2014

Hazardous according to criteria of Worksafe Australia

## EASY PHOS

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** EASY PHOS

**Synonym:** None allocated

**Use:** Waterless Phosphate

**Oxytech Powder Coatings Pty Ltd**

**6/8 Cooper St, Smithfield NSW 2164**

**Tel: (61 2) 9725-5707**

**Fax: (61 2) 9675-4279**

**Email: sales@oxytech.com.au**

**Website: www.oxytech.com.au**

**A.B.N. 19 131 156 217**

**Emergency Advice All Hours:**

**A.H. Emergency No (02) 9725-5707 Technical Manager**

### 2. HAZARDS IDENTIFICATION

HAZARDOUS ACCORDING TO EU CRITERIA

**Hazard Category:** Harmful (Xn), Irritant (Xi)

**Hazard Classification:** HAZARDOUS SUBSTANCE, DANGEROUS GOOD

#### RISK PHRASES

R11 Highly flammable

R20/22 Harmful by inhalation and if swallowed.

R36/38 Irritating to eyes and skin.

R66 Repeated exposure may cause skin dryness and cracking.

#### SAFETY PHRASES

S1/2 Keep locked up and out of reach of children.

S7/9 Keep container tightly closed and in a well-ventilated place.

S16 Keep away from sources of ignition - No smoking.

S23 Do not breathe gas/fumes/vapour/spray

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and contact a doctor or Poisons Information Centre.

S29 Do not empty into drains.

S33 Take precautionary measures against static discharge.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S45 In case of accident or if you feel unwell, contact a doctor or Poisons Information Centre immediately and show this container or label.

**Poison Schedule:** None allocated [Aust].

#### Warning Statement:

Avoid contact with skin

Avoid contact with eyes

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**SUBSTANCE NAME**

**Proportion**

**CAS Number**

# Material Safety Data Sheet

Page 2 of 7

Issue date: March 2014

Hazardous according to criteria of Worksafe Australia

## EASY PHOS

N-BUTYL ACETATE	30 to 60%	123-86-4
IMS 95%	30 to 60%	108-10-1
PHOSPHORIC ACID (Below Cutoff)	Less than 1%	7664-38-2

All other ingredients not hazardous according to EU Criteria.

### 4. FIRST AID MEASURES

#### Swallowed:

If swallowed, DO NOT induce vomiting. Give 3 to 4 glasses of water to drink. Seek urgent medical assistance.

#### Eye:

If material is splashed into eyes, flush with plenty of water for at least 15 minutes, ensuring eye lids are held open. Immediately transport to hospital or doctor.

#### Skin:

If material is splashed onto the skin, remove any contaminated clothing and wash skin thoroughly with soap and water. If irritation persists immediately transport to hospital or doctor.

#### Inhaled:

Remove victim to fresh air. Apply resuscitation if victim is not breathing - Administer oxygen if breathing is difficult. Transport to hospital or doctor immediately.

#### First Aid Facilities:

Eye wash fountain, safety shower and normal wash room facilities.

#### Advice to Doctor:

Treat symptomatically.

**In case of poisoning, contact Poisons Information Centre**

**In Australia call Tel: 131126**

**In New Zealand Tel: 034747000**

### 5. FIRE-FIGHTING MEASURES

#### Fire/Explosion Hazard

EXTINGUISHING MEDIA: Use dry chemical, carbon dioxide or foam.

SPECIAL FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus (SCBA) required for fire-fighting personnel. If possible to do so safely, shut off fuel to fire. Use water spray to spray to cool fire-exposed surfaces and to protect personnel. Avoid spreading burning liquid with water used for cooling fire exposed containers when using water spray, boil-over may occur when the product temperature reaches the boiling point of water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapours from this product may travel or be moved by air currents and be ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge or other ignition sources at locations distant from the point of handling.

**HAZCHEM CODE:** 3[Y]E [Aust]

#### FLAMMABILITY

Highly flammable liquid. Avoid all sources of ignition, heat and naked flames.

### 6. ACCIDENTAL RELEASE MEASURES

EMERGENCY ACTION:

# Material Safety Data Sheet

Page 3 of 7

Issue date: March 2014

Hazardous according to criteria of Worksafe Australia

## EASY PHOS

Keep unnecessary people away; Isolate hazard area and deny entry. Stay upwind; Keep out of low areas. Do not walk or touch spilt material unless wearing personal protection as outlined under MSDS.

### SPILL OR LEAK PROCEDURE:

Shut off ignition sources, no flares, smoking or flames in hazard area. Stop leak if you can do it without risk. Water spray may reduce vapour; but it may not prevent ignition in closed spaces.

### SMALL SPILLS:

Take up with sand, dirt or vermiculite. DO NOT use sawdust. Use non-sparking tools or HEPA vacuum system. Place into labeled drum(s) for later disposal.

### LARGE SPILLS:

Notify Emergency Services (Police or Fire Brigade). Tell them exact location, nature, hazards, quantities, type of vehicle and any other information that would be helpful. Contain spill. Remove all ignition sources and safely stop flow of spill. Bund area. Trained personnel should wear Personal Protective equipment as highlighted in this MSDS. Blanket the spill with foam or use water fog to disperse vapour clouds. Consult an expert regarding disposal of this product.

## 7. HANDLING AND STORAGE

Store in a cool place and out of direct sunlight. Store away from sources of heat or ignition, strong alkalis, acids, combustibles and oxidizing agents. All equipment must be earthed. Store in original packages as approved by manufacturer. For further information please refer to the Engineering Controls of this MSDS.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure Standards

No exposure standards are available for this product, however, the following exposure standards have been assigned by [NOHSC] to the following components of the product:

#### ***N-BUTYL ACETATE***

(Worksafe Australia)

[TWA]150 ppm 713 mg/m<sup>3</sup>

[STEL]200 ppm 950 mg/m<sup>3</sup>

#### References: H

(ACGIH)

[TWA]150 ppm 713 mg/m<sup>3</sup>

[STEL]200 ppm 950 mg/m<sup>3</sup>

#### Carcinogen Category: A4

#### ***IMS 95%***

(Worksafe Australia)

[TWA]50 ppm 205 mg/m<sup>3</sup>

[STEL]75 ppm 307 mg/m<sup>3</sup>

#### References: H;R

(ACGIH)

[TWA]50 ppm 205 mg/m<sup>3</sup>

[STEL]75 ppm 307 mg/m<sup>3</sup>

#### ***PHOSPHORIC ACID (Below Cutoff)***

# Material Safety Data Sheet

Page 4 of 7

Issue date: March 2014

Hazardous according to criteria of Worksafe Australia

## EASY PHOS

(Worksafe Australia)

[TWA]1 mg/m<sup>3</sup>

[STEL]3 mg/m<sup>3</sup>

References: H

(ACGIH)

[TWA]1 mg/m<sup>3</sup>

[STEL]3 mg/m<sup>3</sup>

\*\*\*\*\*

### WATER AND OTHER NON-HAZARDOUS SUBSTANCES

No Exposure details available

### Engineering Controls

Highly flammable liquid. Maintain adequate ventilation at all times. Prevent accumulation of vapours in hollows or sumps. Eliminate any sources of ignition. Elevated temperature or mechanical action may form vapours, mists or fumes which may require local exhaust ventilation systems.

### Personal Protection Equipment

CLOTHING: PVC or rubber apron.

GLOVES: PVC or rubber.

EYES: Chemical goggles or faceshield to protect eyes.

RESPIRATORY PROTECTION: Avoid breathing of vapours/gases. Select and use respirators in accordance with AS/NZS 1715/1716. When gases/vapours exceed the exposure standards then the use of a half-face respirator with organic vapour cartridge is recommended. For high concentration use an atmosphere-supplied, positive pressure demand self-contained or airline breathing apparatus, complying with the requirements of AS/NZS 1715 is recommended. Filter capacity and respirator type depends on exposure levels and type of contaminant.

If entering spaces where the airborne concentration of a contaminant is unknown then the use of a Self-contained breathing apparatus (SCBA) with positive pressure air supply complying with AS/NZS 1715 / 1716, or any other acceptable International Standard is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear Liquid
Boiling Point Melting Point:	Not established
Vapour Pressure:	Not known
Specific Gravity:	0.837 approx
Flash Point:	Not established
Flammability Limits:	Not established
Solubility in Water:	Immiscible

### Other Properties

## 10. STABILITY AND REACTIVITY

STABILITY:

Stable under normal conditions of use.

HAZARDOUS DECOMPOSITION PRODUCTS:

Emits oxides of carbon when heated to decomposition.

HAZARDOUS POLYMERIZATION:

Will not occur.

INCOMPATIBILITIES:

# Material Safety Data Sheet

Page 5 of 7

Issue date: March 2014

Hazardous according to criteria of Worksafe Australia

## EASY PHOS

Chlorates, perchlorates, chromates, dichromates, nitrates and other oxidizing agents.

### CONDITIONS TO AVOID:

Heat, flames, ignition sources and incompatibles.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects are expected, if the product is handled in accordance with this Material Safety Data Sheet and the product label. Symptoms and effects that may arise if the product is mishandled and overexposure occurs are:

### ACUTE HEALTH EFFECTS:

#### Swallowed:

Harmful if swallowed.

May cause irritation to mouth, throat and stomach with effects including mucous build up, irritation to the tongue and lips and pains in the stomach, which may lead to nausea, vomiting and diarrhoea.

#### Eye:

Will cause irritation to the eyes, with effects including: tearing, pain, stinging and blurred vision. Depending upon duration of exposure, reversible eye damage may occur.

#### Skin:

Will cause irritation to the skin, with effects including: Redness, itchiness, and drying/defatting.

#### Inhaled:

Harmful if inhaled.

Mists from the product may cause irritation to the nose, throat and respiratory system with effects including: Dizziness and headache.

#### Chronic:

Prolonged or repeated skin contact may lead to dermatitis.

Prolonged contact may cause severe eye irritation and some form of permanent eye damage may occur.

Prolonged or repeated exposure may lead to irreversible damage to health.

#### Toxicological Data:

There is no other toxicological information available for this product.

## 12. ECOLOGICAL INFORMATION

#### Ecotoxicity:

No Data

#### Mobility:

No Data

#### Persistence / Degradability:

No Data

#### Chemical Fate Information:

No Data

This substance may cause long term adverse effects in the environment

This substance may cause long term adverse effects in the environment

## 13. DISPOSAL CONSIDERATIONS



# Material Safety Data Sheet

Page 7 of 7

Issue date: March 2014

Hazardous according to criteria of Worksafe Australia

## EASY PHOS

Europe (EINECS/ELINCS)	Y
Japan (MITI)	Y
South Korea (KECL)	Y

Y = all ingredients are on the inventory.

### 16. OTHER INFORMATION

**Date of Preparation: March 2014**

Issue date: 20/03/2014

Supersedes: Not applicable

**Reasons for Update:**

Not applicable

**Key Legend Information:**

NOHSC - National Occupational Health & Safety Commission {Formerly Worksafe}[Aust]

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons [Aust]

TWA - Time Weighted Average [Int]

STEL - Short Term Exposure Limit [Int]

AICS - Australian Inventory of Chemical Substances

EPA - Environmental Protection Agency [Int]

NIOSH - National Institute for Occupational Safety and Health [US]

AS/NZS 1715 - Selection, use and maintenance of respiratory protective devices. [Aust/NZ]

AS/NZS 1716 - Respiratory protective devices. [Aust/NZ]

IATA - International Aviation Transport Authority [Int]

ICAO - International Civil Aviation Organization [Int]

IMO - International Maritime Organisation. [Int]

IMDG - International Maritime Dangerous Goods [Int]

United Nations Recommendations for the Transport of Dangerous Goods and Globally Harmonized System for the classification and labelling of Chemicals. [Int]

EU - European Union

[Aust/NZ] = Australian New Zealand

[Int] = International

[US] = United States of America

Removal of the heading of *Poison Schedule [Aust]*, in section 3 and 15 of this Material Safety Data Sheet (MSDS) makes this a valid health and safety document in other international jurisdictions/countries. For full compliance please contact your Federal, State or Local regulators for further information.

**Disclaimer**

This MSDS summarises our best knowledge of the health and safety hazard information available on the product and the measures to be used to handle and use the product safely. Each user should read this MSDS and consider the information in connection with the way the product is intended to be handled or used.

**Principal References:**

Information supplied by manufacturer, reference sources including the public domain.

**END OF MSDS**