





# RHYNOGRIP INTERFACE PAD 150 mm 15H, 10 mm



## RHYNOGRIP INTERFACE PAD 150 mm 15H, 10 mm

Part of the extensive range of backing pads and accessories

Soft density pad placed between backing pad and disc



15 hole dust extraction



Soft open cell foam



10mm thickness

Fully compatible with Rhynogrip abrasive systems



# RHYNOGRIP INTERFACE PAD 150 mm 15H, 10 mm

## Features and Benefits

---

10mm soft foam backing



Eliminates the risk of sanding edges

---

Soft density foam



Improved finish in fine grits

---

## Substrates

---

Old paint

---

Fillers

---

Primers

---

Top Coats

---

Clear Coats

---

Fibre Glass

---

Gel Coat

---

## Applications

---

Sanding / Preparation

---

Fine Sanding

---

Sanding for Blending

---

Micro-finishing / Rectifying

---



# RHYNOGRIP INTERFACE PAD 150 mm 15H, 10 mm

## Suited for



Automotive Refinishing



Decorative



Composite Industries



Industry & Manufacturing



Wood & Furniture

## Technical Specifications

Pad Size	150 mm
Hole Configuration	15 H
Fastening System	Grip
RPM Max.	10000
Thickness	10 mm
Temperature Range	-5 to 70 °C
Package Qty.	1